





FULL BODY

A **versatile material**: uniform, compact, indestructible, safe and eco-friendly. Fragments of minerals combined in a naturally random pattern.

80x120 cm | Premium Matt
80x80 cm | Premium Matt
60x60 cm | Premium Matt | Premium Polished




Beyond imagination

A material that creates an awe for its potential. Breaks down the barriers between surfaces for architecture and furnishing. For residential, industrial, and commercial spaces. Available in three sizes.





Zillions of stars create endless compositions. From the endless combinations of natural materials comes DELPHI Full Body Vitrified Tiles.



Solid



Safe, clean, fireproof Highly sustainable

Minerals and raw materials of the highest quality, processed with exclusive know-how, creates uniformity that runs throughout the tile.

Easy to clean, resistant to acid, sanitizable, does not burn or release harmful substances.

Long-lasting and recyclable. These tiles are manufactured by adopting environment-friendly practices. Solid, strong and uniform, it maintains its appearance even in the event of extreme wear and damage.


A wide array of choices for your space that has distinctive functional and aesthetic needs. The manifold aesthetic expressions of the full body tiles combine technological expertise with creativity and a variety of raw materials.


Full Body applications



۳٩

RESIDENTIAL
GARDEN & POOI
HOTELS
OFFICE
RESTAURANT
HOSPITALS










80x80 cm | Premium Matt

The Look

Give your space a uniform, sleek, and clean look. They are easy to install and don't require frequent polishing or heavy maintenance. For spaces that have a very high footfall, such qualities are extremely essential for a hassle-free experience.

The Design

Manufactured with the highest quality raw materials and advanced technology, the full body of the tile is uniform — giving the material an original appearance. Colour is not only on the top but seeps through the whole tile.





Various Edge Profiles
 Squared straight edge
Squared 45° edge
Bullnose



Rounded double straight edge

DEL PHI

FULL BODY

SKID **RESISTANT**

GERM **FREE**






No Germs & Fungus, Less Health Issues | Get Rid of the Odours Various Applications | Improves Quality of Life

Kajaria Eternity DELPHI Series comes with E-Shield protection, These Vitrified matt tiles is an innovative product made from special ingredients with anti microbial treatment that inhibits growth of germs like bacteria and fungus.

This full body product with skid resistant property can be safely used in hospitals, schools residential areas, offices or any other commercial spaces, where longevity and hygiene is paramount.

FULL BODY

These tiles are ideal for zones with heavy footfall because even after extented use, their colour remains the same.



SKID RESISTANT

A versatile surface with skid resistant property makes these tiles perfect for zero slippage on slopes of upto 25°.




GERM FREE (99.9%)

A specially formulated anti-microbial glaze used during the manufacturing process enables these tiles to prevent habitation of germs like bacteria and fungus, making them an ideal choice for today's health-concious consumers.






80x120 cm | Premium Matt
80x80 cm | Premium Matt
60x60 cm | Premium Matt | Premium Polished







various applications












DELPHI **BIANCO**

SIZE : **80x120cm** SURFACE : **PREMIUM MATT** THICKNESS : **9mm**









SIZE : 80x80cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm





SIZE : 60x60cm | SURFACE : SUPER PREMIUM POLISHED | THICKNESS : 9mm





DELPHI **BIANCO**

		NUMBER OF STREET, STREE		
	이는 것이 지않는 것 같은 것 같아요. 이 편이는 것 ?			
	A STAR STOLEN STAR STAR STAR			
			안 귀엽에 집에 가장 같아요. 물러 있는 것이 않는 것이 없는 것이 않은 것이 없는 것이 없 않 않이 않	
				5. S. B. B.
				0.0003000
	人名美利 计内容器图描记器器 法政府保险管理			
1. おおおお 日本 日本 日本 日本				New Software
死亡党 建建立 机合用和合金				
			State and the second state and	
			I SALAN CONTRACTOR	
	and the second se			
	ASTRACTOR AND			
	Carl Constant of Alberta Property of			0-2413-5



SIZE : 60x60cm | SURFACE : SUPER PREMIUM MATT | THICKNESS : 9mm

FULL BODY TILES



80x120 cm | Premium Matt





80x80 cm | Premium Matt


60x60 cm Super Premium Matt Super Premium Polished







SIZE : 60x60cm | SURFACE : SUPER PREMIUM MATT | THICKNESS : 9mm










SIZE : 80x120cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI CREMA






SIZE : 60x60cm | SURFACE : SUPER PREMIUM POLISHED | THICKNESS : 9mm

FULL BODY TILES



80x120 cm | Premium Matt





60x60 cm Super Premium Matt Super Premium Polished



DELPHI COTTO

SIZE : **80x120cm** SURFACE : **PREMIUM MATT** THICKNESS : **9mm**














SIZE : 60x60cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI COTTO





SIZE : 60x60cm | SURFACE : PREMIUM POLISHED | THICKNESS : 9mm

FULL
BODY
TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt



60x60 cm | Premium Matt / Premium Polished







SIZE : 80x120cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI **MOKA**





SIZE : 60x60cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm

FULL BODY TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt



60x60 cm | Premium Matt / Premium Polished



SIZE : 80x120cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






SIZE : 60x60cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI **TAUPE**





SIZE : 80x80cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm

FULL BODY TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt



60x60 cm | Premium Matt / Premium Polished








SIZE : 80x80cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI GREY






SIZE : 60x60cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm


FULL
BODY
TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt



60x60 cm | Premium Matt / Premium Polished



SIZE : 80x120cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






SIZE : 80x80cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI GRIS





SIZE : 60x60cm | SURFACE : PREMIUM POLISHED | THICKNESS : 9mm


FULL
BODY
TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt




60x60 cm | Premium Matt / Premium Polished

DEL PH Collection

DELPHI NERO

SIZE : 60x60cm SURFACE : PREMIUM POLISHED THICKNESS : 9mm










SIZE : 80x120cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






SIZE : 80x80cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm






DELPHI NERO





SIZE : 60x60cm | SURFACE : PREMIUM MATT | THICKNESS : 9mm

FULL
BODY
TILES



80x120 cm | Premium Matt



80x80 cm | Premium Matt



60x60 cm | Premium Matt / Premium Polished

PACKING DETAILS

Dimensions mm	No of Slabs / Box	Coverage Area
800X1200	02	1.92 M ²
800X800	03	1.92 M ²
600X600	04	1.44 M ²

TECHNICAL SPECIFICATIONS -

		TECHNICAE SPECI		
S.No	Technical Characteristics	* IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 Group Bla (Annex G) Standard's Requirement	Kajaria Eternity Tile's Specifications	Test method
1.	Deviation in length & width	± 0.1 %	± 0.10 %	IS 13630-1
2.	Deviation in thickness	± 0.6 %/ ± 0.3 % ± 5.0 %	± 5.00 %	EN ISO 10545-2 IS 13630-1 EN ISO 10545-2
3.	Deviation in Straightness of sides	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
4.	Deviation in Rectangularity	± 0.1 % ± 0.5 %/± 0.3 %	± 0.10 %	IS 13630-1 EN ISO 10545-2
5.	Deviation in Surface Flatness	± 0.5 % ± 0.5 %/± 0.4 %	± 0.15 %	IS 13630-1 EN ISO 10545-2
6.	Surface quality	95% of the tiles shall be free from visible defects	95% of the tiles shall be free from visible defects	IS 13630-1 EN ISO 10545-2
7.	Modulus of rupture	Avg. 35 N/mm2, individual Min 32 N/mm2	≥ 40 N/mm²	IS 13630-6 / EN ISO 10545-4
8.	Breaking strength	Minimum 1300 N	≥ 2000 N ≥ 7000 N (Only for 60x60x1.5 cm) ≥ 1800 N (Only for 40x80 & 13x80 cm)	IS 13630-6 / EN ISO 10545-4
9.	Bulk Density	Minimum 2.20 g/cc	≥ 2.25 g/cc	IS 13630-2
10.	Glossiness	Manufacture to state the class	Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish	Glossimeter 60 degrees
11.	Water Absorption	≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 %	≤ 0.08 %, Individual Max 0.1% ≤ 0.3 % (Only for 40x80 & 13x80 cm)	IS 13630-2 / EN ISO 10545-3
12.	Resistance to surface abrasion of Glazed tiles	Minimum Class II Report abrasion class and cycles passed	PEI-Class III to Class IV	IS 13630-11 EN ISO 10545-7
13.	Thermal expansion from ambient temperature to 100 ° C	Test method available	6x10 ⁻⁶ K ⁻¹ Maximum	IS 13630-4 EN ISO 10545-8
14.	Thermal shock resistance	10 cycles Minimum Test method available	10 cycles Minimum	IS 13630-5 EN ISO 10545-9
15.	Moisture expansion	Maximum 0.02 Millimeter/Metre Test method available	- Nil -	IS 13630-3 EN ISO 10545-10
16.	Crazing resistance (Glazed Tiles)	Passes 4 cycles at 7.5 kg/cm2 Required	Passes 4 cycles at 7.5 kg/cm ²	IS 13630-9 EN ISO 10545-11
17.	Frost resistance	Required	100 cycles Minimum	IS 13630-10 EN ISO 10545-12
18.	Resistance to Household Chemicals & Swimming Pool Salts #	Minimum Class AA Minimum GB	Minimum Class AA Minimum GB	IS 13630-8 EN ISO 10545-13
19.	Resistance to low & high concentration of acids & alkalis #	Manufacturer to state classification	Minimum Class AA Minimum GLB,GHB	IS 13630-8 EN ISO 10545-13
20.	Stain resistance**	Minimum Class 1 Minimum Class 3	Minimum Class 1 Minimum Class 3	IS 13630-8 EN ISO 10545-14
21.	Slipperiness	Test method available	≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish	DIN 51130:2014
22.	Co-efficient of friction	Manufacture to state the class	≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish	ISO 10545-17
23.	Scratch hardness of surface(Moh's scale)	Minimum 5 Test method available	Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish	IS 13630-13 EN 101
24.	Impact Resistance	Minimum 0.55 Test method available	Min 0.55 & No identification of cracking	IS 13630-14 EN ISO 10545-5

Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)

** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.

- * Applicable in Gailpur plant only.
- Colours in the catalogue are as accurate as printing process allows.
 Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.



VISUAL 1	\checkmark
VISUAL 2	

KAJARIA DISPLAY CENTRES

NORTH

CHANDIGARH:

SCO-8,1^ª floor, Sector 7C, Madhya Marg, Chandigarh - 160019 Phone : +91-172- 4631417 Mobile : 9779021253, 9779021262

 DELHI: J-1/B-1 (Extn.), Mohan Co-operative Industrial Estate, (Opp. Badar Pur Thermal

Power Station), Mathura Road, New Delhi - 110 044. INDIA Mobile : 9717795205, 9717795192

DEHRADUN:

Fortuna Tower, 1078, First Floor, Opp. IMA Blood Bank, Chakrata Road Dehradun - 248001 Mobile : 7755001347, 9717795202 7755001346

♦ JAIPUR:

G-1, G-2, Aishwarya Tower, Near Hotel Hawa Mahal, Ajmer Road Jaipur-302005, Rajasthan Phone - +91-141-2222955, 2223425

LUCKNOW:

7, Tajpuria palace, Faizabad Road, Indira Nagar, Lucknow, Uttar Pradesh Mobile: 9717795204, 9956252777

VARANASI:

Rukmani Tower, N8/247-2K-1, DLW, BHU Road, Newada, Sunderpur Varanasi-221005, Uttar Pradesh Mobile : 9794865554, 9005095500

WEST

AHMEDABAD:

City Centre-2, Office No-504, 5th Floor, Nr. Sukan Mall Cross Road, Science City Road, Sola, Ahmedabad-380060 Mobile: 9724340887, 9998804440

MUMBAI:

B WING, 617-620, Bonanza, Sahar Plaza Complex, 6th Floor, M. V Road, Near Hotel Kohinoor Continental, JB Nagar, Andheri East. Mumbai - 400059, Maharashtra Phone : 89685 86560, 99877 89500

NAGPUR:

Parthamesh Raja Apartment., Above Bank of Baroda, Untakhana Road, Medical Square, Nagpur - 440009, Maharashtra Mobile : 9987538689, 9730088497

♦ PUNE:

۵

301 & 601-A, D.S.K. Gandhary Heights, Ganesh Khind Road, Shivaji Nagar, Pune - 411005 Mobile : 9730088497, 9730088498, 9730088499

CENTRAL

INDORE : 15/2 Meera Path, Park Road Opp. New Railway Station Indore - 452013 Mobile: 9630025576,9981528089

SOUTH

 BANGALORE : Farah Icon, 119 2nd Floor, Opp. New Pass Port Kendra, Lalbagh Road, Bangalore-560 027, Karnataka Mobile: 9008402949, 9008016799

SALES REPRESENTATIVE

NORTH

GURGAON : Mobile : 9971744115, 9717795210, 9717745205

NOIDA : Mobile : 9717795190 , 9717795200 , 9717795205

DELHI & FARIDABAD: Mobile : 9560553304, 9717795029, 9717795192

KUMAON : Mobile : 7755001348, 7755001349, 9717795202

WESTERN UP : Mobile : 9717795202, 8800093020, 7755001348

HARYANA : Mobile : 8295200155, 8295200410

LUDHIANA : Mobile : 9779021264, 9779021270, 9779021255, 9779021267

HIMANCHAL PRADESH : Mobile : 9779027169, 9779021253

JAMMU & KASHMIR : Mobile : 9906906622, 9086411081

EAST

ASSAM : Mobile : 9311299711, 9903234184

BIHAR : Mobile : 9771458963, 9892408080

JHARKHAND : Mobile :9771458963, 882918988, 8882918986

ORISSA : Mobile : 9937185338, 9937285865, 8882918923

WEST BENGAL / KOLKATA : Mobile : 9007011022, 9007011028, 9007062814

SOUTH

ANDHRA PRADESH : Mobile : 9000300790



SOUTH

CHENNAL:

Old No.10,New No.46,Montieth Road Above Wait Rose Super market Egmore,Chennai - 600 008. Mobile : 9791178678, 9952094333

 COCHIN: Door No. 48/557-C, MN Square Near Gold Souk, NH By Pass, Vyttila, Cochin 682019, Kerala Mobile: 9995868863, 9746473684, 7303663188

COIMBATORE:

1st Floor,No.57,Cowley Brown Road, Near Central Library,R.S.Puram Coimbatore - 641002. Mobile : 9629944454, 9677708080

HYDERABAD:

#3 - 143, 1st Floor, Nirvana Building,
Kavuri Hills, Police Station Opp. Road, Madhapur
Hyderabad - 500081, Telangana
Mobile : 9000304996, 9000304992,
9000005383, 7680000890, 9000304997

VIJAYAWADA:

Lakshmi narasmma arcade Dno : 61-3/4-1,1st Road Geetha Nagar, Krishna Lanka Beside State Bank of India National highway 5 Vijayawada - 520013 Mobile : 7680046467, 9000300790

WEST

AURANGABAD : Mobile : 8600992620, 9730088497

GOA: Mobile : 9665046116, 9730088497, 7028018708

NASIK : Mobile : 8600992620, 9730088497, 7028030538

CENTRAL

CHHATTISGARH : Mobile : 9981528088

RAIPUR : Mobile : 9758598467,9981528088

BILASPUR : Mobile : 7898028779,9981528088

BHOPAL : Mobile : 9981528092



IS NOW THE



LARGEST MANUFACTURER OF TILES IN THE WORLD.

#MakingIndiaProud #India'sNo.**1**TileCompany



INDIA'S NO. 1 TILE COMPANY



November 2021

Toll Free No.: 1800-11-2992 | Email: info@kajariaeternity.com | For exports: global@kajariaeternity.com Website: www.kajariaeternity.com