^{*}diModa

Dimoda Pte Ltd, 71 Tannery Lane, #03-07 City Industrial Building, Singapore 347807

Call: +65 6980 3423 I +65 9109 8543 Mail: info@dimoda.sg

www.dimoda.sg



Sintered Stone 800x3200mm | 800x3000mm 15mm Thickness

diModa





INTRODUCTION



Di Moda brings Largest size slabs with automised powder decoration. We are facilitated with High Resolution Digital Technology from Italy.

We have eco-friendly plant architecture with methodical plantation. _

Our manufacturing plant is furnished with an in-house township. Our unmatched quality is the result of in-house research and test lab conducting enhanced quality checks.


We have an advanced assembly of robotics automated product handling

diModa

The success of a brand lies in its ability to evolve and stand ahead of its time with a pioneering vision. Di Moda and its exceptional offering is a result of vision, demand, and objective of delivering products that add iconic values to the spaces of customers. It is also a passionate endeavor encouraged and inspired by the efforts of sustainability for a better tomorrow.

Di Moda believes in delivering an experience beyond excellence and thus is bringing revolutionary products to the market backed by advanced technology. We believe in leading with innovations to make a remarkable impact in the lifestyle industry.

INTRODUCTION





Premium Collection

Di Moda brings a magnificent range of superior surfaces with the Premium **Collection that** redefines the style of a space with its poised and appealing designs.

The colossal surfaces of the Premium Collection are synonymous with luxury, radiance, and upscale living to design your spaces class-apart and truly matchless. These surfaces are specially designed to give your spaces the essence of grandeur and eliteness paired with unprecedented features, functionality, versatility, and elegance.

We believe in living life king size and with this belief, we offer grand-sized surfaces to create larger-than-life spaces that deliver a sense of surreality and luxury.





THE SPECTACULAR PREMIUM COLLECTION



Highlighting interiors with the brilliance of surfaces

The Premium Collection promises a sense of infinity and sophisticated feel for a place with its extravagant style. These tiles bring an effervescence vibe and charming poise to the interior.



Premium Collection

Polish & Matt Surface

15mm Thickness

Spaces are blank pages that one can decorate in their personal style and write their lifestyle story. Every space lights up when the right elements come together and adding gloss to it just enhances the mood of the space. The tiles of Sintered Stone have a premium high gloss finish that expresses extravagance and delivers an elite experience. These surfaces enlighten spaces through their opulence and captivating semblance.

IMAGINE YOUR SPACE WITH SEAMLESS POSSIBILITIES

Think big and different with the Premium Collection from Di Moda. A class in itself, the collection redefines the frontiers of large format and spacious living with its magnificent size and grace. The collection is felicitous to adorn the distinguished elements of your spaces and interiors with its glorious size of 800x3200mm and 800x3000mm and its highly functional and apt thickness of 15mm.

Types of Body

The Sintered Stone of the Premium Collection is available in high gloss finish and four magnificent color bodies to match the ambience of different spaces. These tiles encompass a homogenous color throughout to give a place a seamless elegance and excellence.



9 ft **8** ft **7** ft **6** ft **5** ft **4** ft **3** ft **2** ft

11 ft

10 ft





INTRODUCING OURTECH TECHNOLOGY INNOVATIONS FOR FUTURE.

More Natural. More Sustainable. Less Impact.

Ourtech

In today's age, when the environment needs to be looked after, we make innovation sustainable. Our tiles are manufactured using Ourtech technology that makes a healthy and better lifestyle a priority. The Ourtech technology is the innovation of the future as it helps create tiles that are respectful to the

environment. Using this innovative technology, we ensure that the raw material waste is to the minimum, the tiles are recyclable, they do not emit any harmful chemicals, and there is a decrease in water waste. Ourtech technology leads to our wellbeing through the well-being of nature.





Di Moda is equipped with India's most advanced polishing technology by KEDA.

SACM

/XX MODENA

15mm Thickness

TECNOFERRARI

VERSATILITY THAT UNFOLDS BOUNDLESS POSSIBILITIES

The Sintered Stone converts every space into the Shangri-la of luxury and harmony.



The aesthetical richness of our surfaces engulfs places in an oasis of surreal ambient with their mesmeric appeal. These majestic surfaces offer multiple installing options with their rich functionalities, sense

of comfort and pleasing designs. These tiles can be installed on countertops, furniture, floors, walls, staircase and many other areas of commercial as well as residential places.



Application Areas



CRAFT CLASSIC AND FUNCTIONAL SPACES





This Premium collection of Sintered Stone Surface offers solutions that transform the meaning of luxury and style through its prominence. The brilliant Sintered Stone is versatile in its application. This collection creates the ideal ambience for various spaces like countertops, worktops, dining tables, staircases, and a lot more.







MAKING EVERYDAY LIFE EASIER

In this time and age, hygiene, cleanliness and comfort is a priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.



Hygienic and Suitable for Contact with Food



Impact Resistant Surface

Water Resistant Surface



Resistant to UV Rays

Stain Resistant Surface




Resistant to Mould, Mildew, And Fungus

Scratch and

Abrasion Resistant



Resistant to Fire and Heat





Frost Resistant Surface

TECHNICAL FEATURES

Resistant to Chemicals,

Easy to Clean Surface

Flatness and Stability Over Time

AN ASSORTMENT OF COLOURS

WHITE BODY

CRYSTAL BIANCO





CALACATTA BELISIMO

SCARLET SPIDER 1.11 - -. . . . ier - a thirth



PINK VALENCIA







200 CALACATTA LUCCICOSO



INVISIBLE GREY

AGATE LANCIATO

GREY BODY










ARMANI GREY





STATUARIO NATURAL

BIANCO MICHEL ANJELO



BRECCIA ARENCIA



IVORY BODY





BROWN BODY




TOBACCO BROWN

BLACK BODY

PIANO BLACK

AGATE CHARCOAL





BLACK NOIR

THUNDER BLACK





ZIBRA BLACK





WOODY BLACK





We offer a colourful palette of tiles with the Sintered Stone availing a spectrum of design options that help bring a designer's vision to life. These tiles make places desirable with their classy look and timeless shades that perfectly match the architectural style of urban spaces.





SILVER PORTTORO



MARCUS AQUA





ArchRock Collection

Brillo High Gloss Surface

CRYSTAL BIANCO

Premium Collection

Sizes 800x3200mm, 800x3000mm Surface High Gloss Thickness 15mm Type White Body





Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type White Body









Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type White Body

Polish & Matt Surface





Dining Table **Statuario Afghan**

Staircase Statuario Afghan





STATUARIO AFGHAN

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**

Polish & Matt Surface







Premium Collection

Polish & Matt Surface



STATUARIO TOH

Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type White Body





Sizes 800x3200mm, 800x3000mm Surface High Gloss Bookmatch **A & B** Thickness 15mm Type White Body





CALACATTA BELISIMO

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**





CALACATTA LUCCICOSO

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **White Body**









Kitchen Counter Top & Dining Table **Bianco Michel Anjelo**



BIANCO MICHEL ANJELO


Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type White Body





Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type White Body







Basin **Volakas Grigio** Wall & Floor **Volakas Grigio**



VOLAKAS GRIGIO


Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**






ARBESCCATO


Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **White Body**





PRIMAVERA

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**





Dining Table Invisible Grey





INVISIBLE GREY

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**









Vanity Basin **Breccia Arencia**



BRECCIA ARENCIA

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **White Body**






Premium Collection

Polish & Matt Surface

15mm Thickness


Kitchen Counter Top Pink Valencia Dining Table Pink Valencia



PINK VALENCIA


Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **White Body**





AGATE LANCIATO

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **White Body**





Dining Table Top **Belgiun Black** Furnishing **Belgiun Black**



Premium Collection

Polish & Matt Surface

15mm Thickness




BELGIUN BLACK

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Black Body**








PIANO BLACK

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Thickness **15mm** Type **Black Body**





THUNDER BLACK

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **Black Body**







SILVER PORTTORO


Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Black Body**






ZIBRA BLACK

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **Black Body**








Wall Agate Charcoal



Premium Collection

Polish & Matt Surface

15mm Thickness




AGATE CHARCOAL

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **Black Body**






Dining Table Top **Antico Black** Furnishing **Statuario Natural**



ANTICO BLACK

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Black Body**






BLACK NOIR


Sizes **800x3200mm, 800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **Black Body**






BLACK GOLD

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **Black Body**







BLACK FUSION

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Black Body**





PORTORO BRECCIATO

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **Black Body**








Kitchen Counter Top Marcus Aqua



Premium Collection

Polish & Matt Surface

15mm Thickness



MARCUS AQUA

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **Black Body**









Table Top Woody Black





Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **2** Thickness 15mm Type **Black Body**





15mm Thickness

Tobacco Brown



TOBACCO BROWN

Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **2** Thickness 15mm Type Brown Body






Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **3** Thickness 15mm Type Brown Body





Kitchen Counter Top Armani Grey

> Furnishing **Armani Grey**



ARMANI GREY

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Grey Body**





OROBICO

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **Grey Body**









SONATA GREY

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **4** Thickness **15mm** Type **Grey Body**









Wall Amazonite

Table Top Amazonite









AMAZONITE

Sizes 800x3200mm, 800x3000mm Surface High Gloss Random **4** Thickness 15mm Type Grey Body

Premium Collection








Premium Collection

Polish & Matt Surface



TURKEY ONYX

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **3** Thickness **15mm** Type **Ivory Body**





GIALLO SIENA

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Random **2** Thickness **15mm** Type **Ivory Body**





Table Top **Avorio Granite**



Premium Collection

Polish & Matt Surface

15mm Thickness



AVORIO GRANITE

Sizes **800x3200mm**, **800x3000mm** Surface **High Gloss** Thickness **15mm** Type **Ivory Body**







Slab Handling

Tools suggested for handling

For handling the enormously sized slabs from Di Moda, we recommend careful handling with the help of four handlers at the same time in case of the largest size and at least two handlers for the smaller sizes of the slabs.








Reinforced trolley

Parallel & transverse guides


Single & Double suction cup

Handling instructions


Di Moda recommends the use of a kit of devices designed especially for the handling of large-size slabs.




We recommend carrying out the handling job of the slabs with four handlers at the same time.



Ensure proper suction with a vacuum between the device and the slab and use a single device/suction cup for a maximum length of up to 150cms.



To lift the slabs use sucker cups after cleaning the slab and cups with a damp sponge. Make sure the device also has suckers that run along with the guides and adhere to the slab.



To lift the slab use guides from the long sides of the slab and lift/hang it vertically to the handles of the trolley frame. Use appropriate size reinforced trolley for various sizes of slabs.

Slab Cutting & Drilling

Tools suggested for cutting and drilling







Workbench with aluminum profiles

Cutting unit


Manual cutting instructions



Lay the slab on a flat surface and preferably on a workbench with aluminum profiles. Make sure the surface is stable for both cutting and drilling.




After scoring the length and making the cut, move the slab out of the workbench till the incision line and split from both sides using cutting-off pliers.






Diamond polishing pads




Make markings on the slab according to the desired cutting and drilling need.



Smooth the edges of the length cut with a diamond polishing pad.


Slab Laying Tools suggested for Laying





3mm & 10mm trowel


Rubber trowel & Spacers




Device for plate's pulling over and Leveling wedges & clips

Slab Laying Instructions


 $Check the laying substrate. \, Make sure it is clean, mature, and homogeneous with no cracks.$



Apply adhesive onto the back of the slab with a 3mm trowel in one direction only.




Apply adhesive onto the floor substrate at the same time while applying on the slab with a 15mm U-notch or 19mm Vnotch trowel in the same direction as the slabs.




Position the slab on the adhesive bed with a sucker frame with adjustment of a minimum of 3mm joint.



Tap the slab from the center to the edges with a rubber trowel to expel air. Make sure air is expelled and there is no bubble between the slab and the substrate.





Complete the laying of the slab with a suitable sealant while keeping a 3mm joint through spacers. The special device of pulling over the slabs can be used for easy laying and spacing.



Level the wedges at each linear meter of the slab.

Slab Edge Possibilities







Cleaning & Maintenance

High-quality raw materials, rigorous production parameters, and world-class technology at Di Moda make the exclusive offering nonporous and thus no dust or deposited waste penetrates the surface. The no-maintenance surfaces require only a damp cloth for cleaning. Routine and recurring cleaning spotlights the aesthetic features of the surfaces and keeps the surfaces shining. For cleaning contamination and stains caused by some common food and other material follow the table below:


TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
lce Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.





1-1/2" Dupont Square



1-1/2" Dupont Step Square

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	MEAN VALUE OF Di MODA	METHOD OF TESTING	
Regulatory Properties					
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1	
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/IS 13630-1	
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/IS 13630-1	
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/IS 13630-1	
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1	
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/IS 13630-1	
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/IS 13630-1	
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16	
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	≥ 90	Gloss Meter 60°	
Glossiness (Satin)	As per Manufacturer	As per Manufacture	7 ≤ Gloss Value ≤ 25	Gloss Meter 60°	
Structural Properties					
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2	
Bulk Density			≤0.080 % > 2.28 gm/cc	ISO 10545-3/IS 13630-2 ISO 10545-3/IS 13630-2	
Buik Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	180 10545-5/18 13650-2	
Massive Mechanical Properties					
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	Min. 40.0 N/mm ²	SO 10545-4/IS 13630-6	
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6	
Surface Mechanical Properties					
MOH'S Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/ Satin & Posh Min 6	BS EN 15771/IS 13630-13	
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 13630-11	
Thermal Hygrometric Properties					
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3	
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4	
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14	
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10	
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	
Chemical Properties					
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min, Class 3/Min, Class 1	ISO 10545-14/IS 13630-8	
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8	
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/IS 13630-8	
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/IS 13630-8	
Safety Properties					
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy ≥P0,Satin,Posh ≥P1	BS 7976-2	
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130	
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb &Cd	ISO-10545-15	

Packing Detail

SIZE	THICKNESS	PCS/BOX	AREA/BOX	BOX/WT.
800x3200mm	15mm	1 pc	2.56 mt ²	90 kg
800x3000mm	15mm	1 pc	2.40 mt ²	84 kg

diModa