





THE ULTIMA
1200X2400 MM CATALOGUE

The Ultima

Introduction 1200x2400 mm

Beauty as big your vision. Expansive and elegant, 1200x2400 mm Ultima tiles create a sense of grandeur and space you can only get from the extra-large premium tile. With a variety of stunning finishes and nature inspired designs, it's the perfect way to create grand urban spaces with limitless beauty.





Finishes

Inspired by the beauty of nature, 1200x2400 mm Ultima tiles offer the perfect fit for every aesthetic design choice to be elevated to the next level. Available in two elegant finishes that bring out the classic patterns, they're perfect to add style and sophistication to any space.



POLISHED MATT



The Ultima























Features



Scratch Resistant



Stain Resistant



Fire Resistant



High Abrasion Resistance



Easy Installation



Chemical Resistant



Water Resistant



9mm Thickness



Thermal Resistant



Zero Maintenance



Easy To Clean



High Flexural Strength

THE ULTIMA
















STATUARIO (POLISHED)

SUPERWHITE



RANDOM - 3 THICKNESS - 9 MM







STATUARIO (POLISHED) | SUPERWHITE











For floor application Fine detailing Stain resistant



CARRARA WHITE (POLISHED)

SUPERWHITE



RANDOM - 4 THICKNESS - 9 MM







CARRARA WHITE (POLISHED) | SUPERWHITE















ARMANI BRONZE

PREMIUM POLISHED



RANDOM - 2 THICKNESS - 9 MM







ARMANI BRONZE | PREMIUM POLISHED

















CHARCOAL NERO


PREMIUM POLISHED



RANDOM - 3 THICKNESS - 9 MM







CHARCOAL NERO | PREMIUM POLISHED















PARADISE AZUL

PREMIUM POLISHED



RANDOM - 3 THICKNESS - 9 MM







PARADISE AZUL & METRO MIST | PREMIUM POLISHED & POLISHED

















ADMIRAL BROWN


POLISHED



RANDOM - 3 THICKNESS - 9 MM







ADMIRAL BROWN | POLISHED













Fine detailing

BRECCIA AZURE

POLISHED



RANDOM - 3 THICKNESS - 9 MM







BRECCIA AZURE | POLISHED


















ELEGANCE CREMA

POLISHED



RANDOM - 2 THICKNESS - 9 MM
























GOZZIO BEIGE

POLISHED



RANDOM - 3 THICKNESS - 9 MM

















Water resistant



Fine detailing For floor application




INTEL CREMA

POLISHED



RANDOM - 2 THICKNESS - 9 MM







INTEL CREMA & VATICAN TAUPE | POLISHED















APOLLO GREY

POLISHED



RANDOM - 2 THICKNESS - 9 MM







APOLLO GREY | POLISHED















METRO MIST

POLISHED



RANDOM - 3 THICKNESS - 9 MM







METRO MIST | POLISHED














For floor application

Fine detailing





ESPERADO GREY

POLISHED



RANDOM - 3 THICKNESS - 9 MM







ESPERADO GREY | POLISHED

















HORIZON GREY

POLISHED



RANDOM - 2 THICKNESS - 9 MM







HORIZON GREY | POLISHED















PAVIT GREY

POLISHED



RANDOM - 3 THICKNESS - 9 MM







PAVIT GREY | POLISHED















VATICAN TAUPE


POLISHED



RANDOM - 3 THICKNESS - 9 MM







VATICAN TAUPE | POLISHED





















RANDOM - 2 THICKNESS - 9 MM






















RESINO GREY





RANDOM - 2 THICKNESS - 9 MM























RESINO GRIS



RANDOM - 2 THICKNESS - 9 MM







RESINO GRIS | MATT

PACKING DETAILS

DIMENSIONS (MM)	NO. OF SLABS/BOX	COVERAGE AREA	WEIGHT / BOX (APPX.)
1200X2400	01	2.88 m²	60 kg.


TECHNICAL SPECIFICATIONS —

S.No	Technical Characteristics	International Std. ISO 13006 /EN 14411 Group Bla Standard's Requirement	Kajaria Eternity Tile's Specification	Method of Testing
	Dimensions & Surface Quality			
1	Length	±0.6%	±0.1%	ISO 10545-2
2	Thickness	±5%	±5%	ISO 10545-2
3	Straightness of Sides	±0.5%	±0.1%	ISO 10545-2
4	Rectangularity	±0.5%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.5%	±0.15%	ISO 10545-2
6	Surface quality	Min.95% tiles should be free from defects	Min.95% tiles free from defects	ISO 10545-2
	Physical Characteristics			
7	Water Absorption	E≤ 0.5 %	≤ 0.08 %	ISO 10545-3
8	MOH's Hardness	≥ 4	≥4	ISO 10545 -3
9	Moisture Expansion	nil	nil	ISO 10545-10
10	Abrasion Resistance	Declared by manufacturer	PEI 3~5 (Depends on product)	ISO 10545-7
	Mechanical Characteristics			
11	Flexural Strength (MOR)	≥ 35 N/mm²	≥ 40 N/mm ² Test piece size (60x60 cm)	ISO 10545 -4
12	Breaking strength	≥ 1300 Newton	≥ 2000 Newton Test piece size (60x60 cm)	ISO 10545 -4
13	Impact resistance	Declared by manufacturer	No indentation or cracking	ISO 10545 -5
	Safety Characteristics			
14	Skid Resistance (Dynamic Friction Coefficient)	≥ 0.4	≥ 0.4 for matt ≥ 0.2 for polished	ISO 10545 -17
15	Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
	Thermo Photo Characteristics			
16	Thermal Shock Resistance	Resistant to 10 cycles	Pass min 10 cycles	ISO 10545 -9
17	Crazing Resistance	In conformity with the Norms	Passed min 4 cycles at 7.5 kg/cm²/168 ° C	ISO 10545 - 11
18	Frost Resistance	Frost proof	Frost proof	ISO 10545 - 12
19	Coefficient of linear Thermal Expansion,	9x10- ⁶ K - ¹	< 6x10- ⁶ K - ¹	ISO 10545-8
20	Colour Resistance to UV light	Resistant	Resistant	ISO 10545 -16
	Chemical Characteristics			
21	Chemical Resistance Household Chemicals & Swimming Pool Salts	Min class- GB	Confirm to class-GA	ISO 10545 -13
22	Chemical Resistance Low Concentrations Acids & Alkalis	Min class- GLB	Confirm to class-GLA	ISO 10545 -13
23	Chemical Resistance High Concentrations Acids & Alkalis	Min class- GHB	Confirm to class-GHA	ISO 10545 -13
24	Stain Resistance	Min class-3	Min confirm to class -3	ISO 10545 -14

- # Resistance to acids & alkalis (Exception of Hydrofluoric acid & its compounds)
- ** Vitrified tiles have resistance to most of the stains / chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.
- * Applicable in Gailpur plant only.
- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying, please follow the instructions on the packaging box.
- In case it is required to lay the tiles on wall or floor in STAGGERED PATTERN, then always lay them in Overlap 20:80 ratio, as shown in VISUAL 1 instead of Brick pattern (overlap 50:50 ratio), as shown in VISUAL 2.
- Please make sure to check the shade/finish with the sales agent/dealer before making the final purchase because there might be variation in actual finish and that shown in the catalogue. The company will not bear any loss in such case.









DISPLAY CENTRE

North

CHANDIGARH:

SCO-8,1st floor, Sector 7C, Madhya Marg, Chandigarh-160019 Phone: +91-172- 4631417

Mobile: 9779021253, 9779021262

DEHRADUN:

Fortuna Tower, 1078, First Floor, Opp. IMA Blood Bank, Chakrata Road Dehradun - 248001 Mobile: 7755001347, 9717795202 7755001346

JAIPUR:

G-1, G-2, Aishwarya Tower, Near Hotel Hawa Mahal, Ajmer Road Jaipur-302005, Rajasthan Phone - +91-141 2223425, 9799495766

LUCKNOW:

7, Tajpuria palace, Faizabad Road, Indira Nagar, Lucknow, Uttar Pradesh Mobile: 9717795204,9956252777

VARANASI:

Rukmani Tower, N8/247-2K-1, DLW, BHU Road, Newada, Sunderpur Varanasi-221005, Uttar Pradesh Mobile: 9794865554, 9005095500

South

BANGALORE:

Farah Icon, 119 2nd Floor, Opp. New Pass Port Kendra, Lalbagh Road, Bangalore-560027, Karnataka Mobile: 9008402949, 9008016799

CHENNAI:

Old No.10, New No.46, Montieth Road Above Wait Rose Super market Egmore, Chennai - 600008. Mobile: 9791178678, 9952094333

COIMBATORE:

1st Floor, No.57, Cowley Brown Road, Near CentralLibrary, R.S. Puram Coimbatore-641002. Mobile: 9629944454,9677708080

COCHIN:

Door No. 48/557-C, MN Square Near Gold Souk, NH By-Pass, Vyttila, Cochin 682019, Kerala Mobile: 9995868863, 9746473684, 7303663188

HYDERABAD:

#3 - 143, 1st Floor, Nirvana Building, Kavuri Hills, Police Station Opp.Road, Madhapur Hyderabad - 500081, Telangana Mobile: 9000304996, 9000304992, 9000005383, 7680000890, 9000304997

West

MUMBAI:

B WING, 617-620, Bonanza, Sahar Plaza Complex, 6th Floor, M. V Road, Near Hotel Kohinoor Continental, JB Nagar, Andheri East. Mumbai - 400059, Maharashtra Mobile: 8968586560, 9987789500

PUNE:

2nd Floor, Grace Platina, Opp.Kumar Pacific Mall, Shankar Seth Road, Pune - 411042 Mobile: 9730088497, 9730088498

Sales Representative

NORTH

GURGAON:

Mobile: 9971744115, 9717795210, 9717745205

NOIDA:

Mobile: 9717795156, 9717795200, 9717795205

DELHI & FARIDABAD:

Mobile: 9560553304, 9717795029, 9717795192

KUMAON:

Mobile: 7755001348, 7755001349, 9717795202

WESTERN UP:

Mobile: 9717795202, 8800093020, 7755001348

HARYANA:

Mobile: 8295200155, 8295200410

LUDHIANA:

Mobile: 9779021264, 979021270, 9779021255, 9779021267

HIMANCHAL PRADESH:

Mobile: 9779027169, 9779021253

JAMMU & KASHMIR:

Mobile: 9906906622, 9086411081

EAST

ASSAM:

Mobile: 9311299711, 9903234184

BIHAR:

Mobile: 9771458963,9892408080

JHARKHAND:

Mobile:9771458963, 882918988, 8882918986

ORISSA:

Mobile: 9937185338, 9937285865, 8882918923

WEST BENGAL / KOLKATA:

Mobile: 9007011022, 9007011028, 9007062814

CENTRAL

CHHATTISGARH:

Mobile: 9981528088

RAIPUR:

Mobile: 9758598467,9981528088

BILASPUR:

Mobile: 7898028779,9981528088

BHOPAL:

Mobile: 9981528092

INDORE:

Mobile: 9630025576, 9981528089

WEST

AURANGABAD:

Mobile: 8600992620, 9730088497

GOA:

Mobile: 9665046116, 9730088497, 7028018708

NASIK:

Mobile: 8600992620, 9730088497, 7028030538

AHMEDABAD:

Mobile: 9998804440, 9724340887

NAGPUR:

Mobile: 9987538689, 9730088497

SOUTH

ANDHRA PRADESH:

Mobile: 9000300790

VIJAYWADA:

Mobile: 7680046467, 9000300790



COC - VOLINAL

Toll Free No. : 1800 309 309 | Email : info@kajariaeternity.com | For exports : global@kajariaeternity.com | Website : www.kajariaeternity.com